## MATERIAL HANDLING & WAREHOUSE EQUIPMENT PROMOTION

## SPLIT COWHIDE FITTERS THINSULATE™ LINED GLOVES

- ZENOTH®

  Safety Products
- Premium split cowhide leather construction
- Full Thinsulate<sup>™</sup> lining provides superior warmth
- Good abrasion resistance
- Thinner lining than acrylic boa provides better dexterity
- Full leather-tipped fingers and knuckle strap provide increased protection
- Rubberized cuff for ultimate protection

| Model<br>No.  | Size     | Lining<br>Weight (g) | Promo<br>Price    |
|---------------|----------|----------------------|-------------------|
| SAS500        | Ladies   | 100                  | 5.55/Pair         |
| <b>SAN637</b> | Medium   | 100                  | <b>5.85</b> /Pair |
| SAL544        | Large    | 40                   | <b>5.80</b> /Pair |
| SM609         | Large    | 100                  | <b>6.50</b> /Pair |
| SAP248        | X-Large  | 100                  | <b>6.55</b> /Pair |
| SAP249        | 2X-Large | 100                  | <b>6.65</b> /Pair |

#### **PREMIUM HARDWOOD DOLLIES**

 Carpeted dolly helps prevent marks and scratches on equipment being moved

1-3/4" wood, 1400-lb. capacity, 4" non marking casters



SM609



| Model | Dimensions | Platform | Promo  |
|-------|------------|----------|--------|
| No.   | W" x D"    |          | Price  |
| MA188 | 18 x 24    | Standard | 115.00 |
| MA189 | 18 x 24    | Carpeted | 145.00 |
| MD517 | 18 x 30    | Standard | 129.00 |
| MD518 | 18 x 30    | Carpeted | 169.00 |

#### **PORTABLE SALAMANDER HEATER**

- Adjustable thermostat
- Adjustable tilt angle
- Mounted on 10" solid rubber wheels
- Power Source: Electric
- 240 V, 34121 BTU/h, 10000 W
- Fan Motor Type: Enclosed air over, ball bearing
- Over heat protection
- One heat setting, fan forced









| Model        | D     | im   | ensi   | ons  |          |                   | Promo          |
|--------------|-------|------|--------|------|----------|-------------------|----------------|
| No.          | L"    | x    | W"     | x    | Н"       | Colour            | Price          |
| 5.5 CU.FT. C | APAC  | ITY  |        |      |          |                   |                |
| ND337        | 30    | х    | 24     | х    | 24       | Yellow            | 149.00         |
| ND202        | 30    | х    | 24     | х    | 24       | Grey              | 149.00         |
| 10 CU.FT. C/ | APACI | TY   |        |      |          |                   |                |
| NM947        | 48    | х    | 24     | х    | 24       | Yellow            | 239.00         |
| NM948        | 48    | х    | 24     | х    | 24       | Grey              | 239.00         |
| NJ450        | E     | Blac | k 1-G  | allo | n Recyc  | led Plastic Scoop | 16.95          |
| PE095        |       |      |        |      |          | yethylene Scoop   | 1 <i>7</i> .95 |
| PE096        |       | W    | nite 1 | -Gal | llon Pol | yethylene Scoop   | 1 <i>7</i> .95 |

#### **BROADCAST SPREADER**

- Steel tube frame construction with chrome-plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- 12" x 4" pneumatic tires
- Coverage: 16000 sq.ft.
- Capacity: 100 lbs.

#### auroratools°

| NJ142        | 159.00         |
|--------------|----------------|
| Model<br>No. | Promo<br>Price |
|              |                |



#### FIRESTORM™ INTENSE ICE MELTER

- Prevents refreezing even under the most challenging conditions
- Safe for children and pets, will not burn skin and gentle on vegetation
- Distinctive orange colour is easy to see, allowing you to use less while ensuring safety for pedestrians
- Container Size: 44 lbs. (20 kg)
- Melting Point: -32°C (-25°F)



Model Promo Price
JB597 25.95



#### NATURAL CHOICE™ ICE MELTER

- All-natural ice melter with an organic additive that improves its performance
- This additive also acts as a corrosion inhibitor to reduce metal fatigue
- Eco-friendly ice melter
- Container Size: 44 lbs. (20 kg)
- Melting Point: -24°C (-11°F)



| NJ140        | 26.95            |
|--------------|------------------|
| Model<br>No. | Promo<br>Price   |
|              | DIVERSIFIED INC. |







#### **POLY SNOW SHOVELS**

- Powder-coated steel handle
- Ergonomic poly D-grip handle



## auroratools '

| Model | Blade"          | O.A.    | Steel      | Promo          |
|-------|-----------------|---------|------------|----------------|
| No.   |                 | Length" | Wear Strip | Price          |
| NM810 | 19-3/4 x 13     | 51      | No         | 16.95          |
| NM809 | 19-3/4 x 13-1/8 | 51      | Yes        | 1 <i>7</i> .95 |



| Model | Blade"          | Handle  | O.A     | Promo |
|-------|-----------------|---------|---------|-------|
| No.   |                 | Length" | Length" | Price |
| NM812 | 21-1/4 x 9-1/4  | 42      | 50-1/4  | 18.95 |
| NM811 | 24-1/2 x 10-3/4 | 42-1/8  | 51-3/8  | 24.95 |

#### **SCRAPERS**

- Top-of-the-line industrial grade tools designed for intense and continuous use
- Handle Material: Ashwood
- Handle Type: Straight
- Handle Length: 48"
- Blade Material: Tempered steel





| Serie   | Blade<br>Size"     | Wt.<br>Ibs.  | Promo<br>Price   |
|---------|--------------------|--|--|
| Nordic™ | 7 x 5-1/2          | 2.35   | 19.95  |
| Alpine™ | 7 x 6              | 3.82   | 37.95  |
| Yukon™  | 8-1/2 x 6-1/4      | 5.15   | 47.95  |
|         | Nordic™<br>Alpine™ | Nordic <sup>™</sup> 7 x 5-1/2<br>Alpine <sup>™</sup> 7 x 6 | Serie         Size"         lbs.           Nordic™         7 x 5-1/2         2.35           Alpine™         7 x 6         3.82 |

#### ZX-30° PREMIUM **ACRYLIC LINED GLOVES**

• Foam PVC palm coating offers excellent breathability, dexterity and durability, while providing a superior wet or dry grip

15-gauge seamless nylon/spandex shell with 100% acrylic lining for superior cold protection

Uncoated back permits breathability and limits perspiration

Exceptional comfort and fit



| Model<br>No. | Size          | Promo<br>Price    |
|--------------|---------------|-------------------|
| SFQ726       | Medium (8)    | <b>6.39</b> /Pair |
| SFQ727       | Large (9)     | <b>6.39</b> /Pair |
| SFQ728       | X-Large (10)  | <b>6.39</b> /Pair |
| SFQ729       | 2X-Large (11) | <b>6.39</b> /Pair |



SFV187

#### **GRAIN COWHIDE DRIVERS FLEECE LINED GLOVES**

- Premium quality
- Superior abrasion resistance
- Resists oil and water well Excellent comfort and durability
  - Provides moderate warmth
    - · Cuff Style: Hemmed

    - · Comes with elastic wrist

| Model<br>No. | Size    | Promo<br>Price    |
|--------------|---------|-------------------|
| SFV195       | Small   | <b>7.70</b> /Pair |
| SFV196       | Medium  | <b>7.85</b> /Pair |
| SFV197       | Large   | 8.30/Pair         |
| SFV198       | X-Large | 8.50/Pair         |

#### **GRAIN COWHIDE ROPERS** FLEECE LINED GLOVES

- Premium quality
- Superior abrasion resistance • Resists oil and water well
- Excellent comfort and durability
- Provides moderate warmth
  - Cuff Style: Hemmed
    - Comes with adjustable strap with snap

|              | · · · · · · · · · · · · · · · · · · · |                   |
|--------------|---------------------------------------|-------------------|
| Model<br>No. | Size                                  | Promo<br>Price    |
| SFV187       | Small                                 | <b>8.95</b> /Pair |
| SFV188       | Medium                                | <b>9.10</b> /Pair |
| SFV189       | Large                                 | <b>9.35</b> /Pair |
| SFV190       | X-Large                               | 9.65/Pair         |

#### **GRAIN COWHIDE FITTERS GLOVES**

- Standard quality
- Superior abrasion resistance
- Provides moderate warmth
- Excellent comfort and durability
- Resists oil and water well
- Patch palm design
- Rubberized safety cuff
- Lining: Cotton Fleece



| · · · · · · · · · · · · · · · · · · · | 002.              |
|---------------------------------------|-------------------|
| Size                                  | Promo<br>Price    |
| Large                                 | <b>4.90</b> /Pair |
| X-Large                               | <b>4.99</b> /Pair |
| 2X-Large                              | <b>5.30</b> /Pair |
|                                       | Large<br>X-Large  |

#### WINTER LINERS

• Provide added protection in cold condition or on windy days

Can be worn with caps, hats, welding helmets, hard hats or alone

Flame resistant outer shell

One size fits all

#### **MILD COLD**

· Single twill layer with napped inside

#### **MODERATE COLD**

 Twill outer layer and polyfibre/cotton-lined

#### **SEVERE COLD**

• Twill outer layer, sheep thermal-lined and full neck flap



|              |               | _              |
|--------------|---------------|----------------|
| Model<br>No. | Description   | Promo<br>Price |
| SAJ553       | Mild Cold     | 5.25           |
| SAM456       | Moderate Cold | <i>7</i> .45   |
| SAM455       | Severe Cold   | 11.25          |

#### MID-SOLE ICE CLEATS

Hook and loop closure style accomodates all shoe sizes

Each mid-sole ice cleat has five steel studs for increased grip and traction

Reusable, water-resistant polyester drawstring bag is convenient for storing and carrying mid-sole ice cleats

• Suitable for general work and recreational activities that require walking on ice and/or snow ZEN/TH°

• One Size; Colour: Black

Model No. **Price SGG012** 17.95



# CF836

#### STACK & HANG BINS

- Designed to hang from bin racks, panels, rails and carts
- Bins reduce and control inventories, shorten assembly times and minimize parts handling
- Reinforced ribs, on both sides, prevent bins from spreading under loads
- Unaffected by weak acids and alkalis

## KLETON

| Model<br>No.            | Colour                 |       |   | side Di<br>D"              |   | н" | Cap.<br>Ibs.   | Promo<br>Price       |
|-------------------------|------------------------|-------|---|----------------------------|---|----|----------------|----------------------|
| CF832<br>CF833<br>CF831 | Red<br>Yellow<br>Green | 5 1/2 | х | 10 7/8<br>10 7/8<br>10 7/8 | х | 5  | 30<br>30<br>30 | 3.80<br>3.80<br>3.80 |
| CF837<br>CF838<br>CF836 | Red<br>Yellow<br>Green |       | х | 10 7/8<br>10 7/8<br>10 7/8 | х | 5  | 50<br>50<br>50 | 4.40<br>4.40<br>4.40 |

#### **DIVIDER FOR 10-7/8" D x 5" H BINS**

| CB829 | - | - | - | - | 1.36 |
|-------|---|---|---|---|------|
|       |   |   |   |   |      |

#### PLASTIC SHELF BINS

- Durable polypropylene
- Designed for use on 12", 18" and 24" deep shelving, or vertical storage and retrieval units



|       | Model No | <b>.</b> | 0      | uts | ide Di | m. |    | Promo |
|-------|----------|----------|--------|-----|--------|----|----|-------|
| Blue  | Red      | Yellow   | L"     | x   | W"     | x  | H" | Price |
| CC393 | CC394    | CC395    | 11-5/8 | х   | 8-3/8  | х  | 4  | 5.12  |
| CC396 | CC397    | CC398    | 11-5/8 | х   | 11-1/8 | х  | 4  | 7.64  |
| CC399 | CC400    | CC401    | 17-7/8 | х   | 8-3/8  | х  | 4  | 8.04  |

#### **ORBIS**



#### **PLASTIC DAIRY CASE**

- · Reusable case maintains its shape
  - Universally compatible

  - 13-1/10" W x 13-1/10" D x 11" H
    - Capacity: 40 lbs.
      - FDA-Approved
      - Colour: Black

| o |         |          |             |       |
|---|---------|----------|-------------|-------|
| • | Made of | 16-gauge | cold-rolled | steel |
|   |         |          |             |       |

• Panels can be mounted on walls, benches, back of shelving, inside cabinets or service truck interior

**METAL BIN SUPPORT RACKS** 

- Allows bins to easily be removed,
  - refilled and replaced
    - Kleton grey powder coated





| Model<br>No. | Dimensions<br>W" x H" | Promo<br>Price |
|--------------|-----------------------|----------------|
| CF411        | 18 x 19               | 19.60          |
| CF412        | 36 x 19               | 34.20          |

#### **CROSS STACK BINS**

- High impact polyethylene; will not crack or rust
- Turned 90° to cross stack
- FDA approved
- 100-lb. capacity





#### **BINS**

| <b>N</b> | Aodel No |       | Outs     | ide I | Dim.    | Promo |
|----------|----------|-------|----------|-------|---------|-------|
| Blue     | Grey     | White | L" x     | . W"  | x H"    | Price |
| CD583    | CD584    | CD585 | 17-1/4 x | 11    | x 12    | 16.60 |
| CD247    | CD246    | CD248 | 25-1/8 x | 16    | x 8-1/2 | 25.90 |

#### **COVERS**

|  | Model No<br>Grey | For Use With                                     | Promo<br>Price          |
|--|------------------|--|-------------------------|
|  | CD586<br>CD606   | <br>CD583, CD584 & CD585<br>CD247, CD246 & CD248 | 11.20<br>1 <i>7</i> .90 |

#### **UTILITY BOXES**

• Durable, commercial grade plastic

• 20" L x 15" W x 5" H

• Capacity: 17.5 L





| Model<br>No. | Colour | Promo<br>Price |
|--------------|--------|----------------|
| CD445        | Grey   | 6.30           |
| CD446        | White  | 9.95           |

and performance through stacking, pressure washing and transportation

• Outside dim.:

| CF932 | 11.50 |
|-------|-------|
| Model | Promo |
| No.   | Price |

#### DEEP DOOR STORAGE CABINET

- Four reinforced 16-gauge adjustable cabinet shelves with 500-lb capacity per shelf, evenly distributed
- 4" deep doors for maximum storage capacity
- 12 adjustable door shelves with 35-lb capacity per shelf
- Unique padlock hasp helps prevent access with bolt cutters
- Overall dim.: 38" W x 24" D x 72" H
- Powder coat Kleton grey finish
- Padlock sold separately



#### KLETON

| EDO24 | 1500 00 |
|-------|---------|
| Model | Promo   |
| No.   | Price   |

**FB024** 

1599.00

#### **ROUGH & TOUGH** STORAGE CABINET


- Heavy-duty 12-gauge steel construction
- Provides protection for valuable tools and machine parts
  - Supplied with four adjustable shelves
  - 36" W x 24" D x 72" H
    - Overall height: 78"
  - Capacity per shelf: 1900 lbs. evenly distributed



| FG816 | 1586.00 |
|-------|---------|
| Model | Promo   |
| No.   | Price   |

#### **ECONOMY LAMINATED** STEEL WARDED PADLOCKS

- Warded locking mechanism minimizes jamming from dirt and grime
- Steel alloy shackle provides strong cut resistance
- Steel laminated body for superior strength, rustproofed for extended wear
- Locks come with two keys
- **Keyed Different**
- Security Level: Medium



#### Master,

| ACCIA:         |                |                      |              |               |                |
|----------------|----------------|----------------------|--------------|---------------|----------------|
| Model<br>No.   | Body<br>Width" | Shackle<br>Diameter" |              |               | Promo<br>Price |
| SA886<br>SA888 | 1-1/2<br>1-3/4 | 1/4<br>9/32          | 5/8<br>13/16 | 9/16<br>13/16 | 4.90<br>5.99   |

#### **HEAVY-DUTY** STORAGE CABINET

- All-welded
- 20-gauge steel cabinet, 18-gauge shelves
- 36" W x 18" D x 72" H
- Shelf capacity: 300 lbs. evenly distributed
- Includes: Four fully adjustable shelves, recessed handle and cylinder lock
- Light grey



| FJ857 | 619.00 |
|-------|--------|
| No.   | Price  |
| Model | Promo  |
|       |        |



#### FJ882

#### ALL-WELDED DEEP HI-BOY STORAGE CABINETS

- 4 fully adjustable shelves
- Includes recessed handle and cylinder lock
- 36" W x 24" D x 72" H
  - Material: Steel
- Shelf Capacity: 150 lbs. evenly distributed



| Model<br>No. | Colour   | Promo<br>Price |
|--------------|----------|----------------|
| FJ882        | Black    | 549.00         |
| FJ883        | Beige    | 549.00         |
| FJ884        | Charcoal | 549.00         |

#### SURE-GRIP® EX COUNTERTOP FLAMMABLE SAFETY CABINET

• Portable size keeps work areas flexible

D

- High-performance, self-latching doors close easily and securely for maximum protection under fire conditions
- Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
- Capacity: 4 gal.
- 17" W x 17" D x 22" H
- No. of Shelves: 1
- No. of Doors: 1
- Door Type: Manual
- Standard(s) Met: NFPA, OSHA
- Colour: Yellow





| SAQ034 | 499.00 |
|--------|--------|
| Model  | Promo  |
| No.    | Price  |

#### **SHOP DESKS**

- Durable carbon steel construction
- 4-compartment organizer and slightly sloped writing surface
- Drawer dim.: 23" W x 16" D x 3-1/2" H
- · Grey enamel finish







| Model             | Style      | O.A. Dimensions  | Promo  |
|-------------------|------------|------------------|--------|
| No.               |            | W" x D" x H"     | Price  |
| FI519             | Open-Floor | 34-1/2 x 30 x 53 | 259.00 |
| FI520             | Cabinet    | 34-1/2 x 30 x 53 | 389.00 |
| OPTIONAL<br>FI521 | CASTER KIT |                  | 49.90  |

#### MOBILE SERVICE BENCHES

• 16-gauge all-welded steel construction with laminated hardwood top

• Four 5" non-marking casters, two rigid, two swivel with brake

 Overall dim.: 42" W x 24" D x 37" H

• Capacity: 1200 lbs. evenly distributed





## KLETON K

| Model<br>No. | Description      | Wt.<br>lbs. | Promo<br>Price |
|--------------|------------------|-------------|----------------|
| ML326        | 1 Drawer/1 Door  | 190         | 1159.00        |
| ML325        | 2 Doors          | 235         | 1279.00        |
| ML327        | 4 Drawers/1 Door | 275         | 1439.00        |
| ML328        | 8 Drawers        | 300         | 1659.00        |

**Products can be customized** to meet your specific needs



#### **HEAVY-DUTY MACHINE STANDS**

- All-welded steel construction
  - 14" shelf clearance
- 14-gauge steel lip-down shelves, with bolt-down footplates on 3/16" x 1-1/2" angle legs
  - Capacity: 1200 lbs. evenly distributed



| Model<br>No. | Dimensions<br>W" x D" x H" | Wt.<br>Ibs. | Promo<br>Price |
|--------------|----------------------------|-------------|----------------|
| FH268        | 30 x 18 x 32               | 60          | 169.00         |
| FH269        | 36 x 24 x 32               | 70          | 189.00         |
| FH270        | 48 x 24 x 32               | 85          | 219.00         |

#### PRE-DESIGNED WORKBENCHES

- 72" W x 36" D x 34" H
- Capacity: 2500 lbs. evenly distributed
- Configuration: Top & Legs Only





| Model<br>No. | Work Surface<br>Material       | Promo<br>Price |
|--------------|--------------------------------|----------------|
| FF672        | Steel-Wood Fill                | 439.00         |
| FF658        | Laminated Wood - Bullnose Edge | 499.00         |
| FF679        | Shop Tops                      | 439.00         |
| FF665        | Plastic Laminate               | 509.00         |

#### **EXTRA HEAVY-DUTY WORKBENCHES**



 All-welded construction features a wood-filled 3/16" steel top with 11-gauge steel legs and stringers

Capacity: 5000 lbs. evenly distributed



|       | CUSTOM       | KLETON |
|-------|--------------|--------|
| Model | Dimensions   | Promo  |
| No.   | W" x D" x H" | Price  |
| FF494 | 72 x 30 x 34 | 799.00 |
| FF495 | 72 x 36 x 34 | 859.00 |



#### STATIONARY HEIGHT STOOL

• All-welded frame is a 7/8" dia. steel tube

 Legs are braced with a 3/4" 18-gauge circular footrest for increased strength and stability

- 14" diameter embossed steel seat has a 1/8" tempered hardboard inlay
- Four chrome floor glides that won't damage floors
- Colour: Grey
- Overall Height: 30"
- Weight: 14 lbs.



| FC648        | 74.50          |
|--------------|----------------|
| Model<br>No. | Promo<br>Price |
|              |                |

#### STAG4 INDUSTRIAL ERGONOMIC BENCH

- Reduces pressure sensations felt in the knees, ankles and lumbar region
- One lever mechanism for seat height adjustment and 20° adjustable slope for kneeling position
- Padding: Dual-density cushions and closed-cell foam

 Upholstery: Easy to maintain black/grey antibacterial and antistatic vinyl

- Standard pneumatic lift: 17.5" to 22.5"
- Knees: 8.5" W x 15.5" D
- Dim. of seat: 12.5" W x 12" D
- Five 3" caster wheel adaptable to all surfaces
- Includes tool tray
- Weight Capacity: 300 lbs.
- Overall dim.:
   28" W x 20" D x 21" H

| 28" W x 20" D x 21" H |  |
|-----------------------|--|
|                       |  |

| OG347 | 558.00 |
|-------|--------|
| Model | Promo  |
| No.   | Price  |



201.00

#### ECONOMY DRAFTING CHAIR • Pneumatic seat height control adjust from 23" to 33" Manual back height and depth adjustment Chrome-plated adjustable footring Five star nylon-reinforce base for strength and durability • Back dim.: 16" W x 9-1/2" H • Seat dim.: 18-3/4" W x 16-5/8" D • Colour: Black • Weight Capacity: 250 lbs. • Overall Width: 25" Weight: 25 lbs. SAFCO Model **Promo** No. **Price**

**OE096** 

#### SIT/STAND STOOL

- Reduce fatigue for workers unable to sit down on the job
- Can be positioned for up close work
- Removable seat attaches to frame with a double pin locking system which easily adjusts to 10 positions from 21" to 35"
- Features a sturdy, tip proof 5-leg base with a padded comfortable "Bicycle style" seat
- Pneumatic height adjustment from 23-1/2" to 33-1/2"



MUR-VAN MANUFACTURING

| FC685 | 199.00 |
|-------|--------|
| Model | Promo  |
| No.   | Price  |

#### **SHOPTECH STOOL**

- Industrial seating that brings ergonomic comfort and productivity to the shop floor, the laboratory or the shipping office
- Durable, easy-to-clean, molded polyurethane seating is the perfect solution for clean rooms or wipe down applications
- Overall height of 16" to 21" with a 19" wide by 14" deep seat
- Weight capacity: 250 lbs.
- Weight: 20 lbsColour: Black



| No.<br>OE088 | Price 210.00 |
|--------------|--------------|
| Model        | Promo        |



#### ACTIV® SERIES A-96 MESH CHAIR

- Pneumatic seat height adjustment between 18" and 21-1/2"
- Back: 18" W x 19-1/2" H
- Seat: 19-1/4" W x 20" D
- Fixed armrests
- Tilt feature







## PNEUMATIC WHEEL HAND TRUCKS

- Constructed of 1" 16-gauge steel tube
- Nose plate 8 gauge steel
- Overall width: 21-1/2"
- Wheel dim.: 10" x 3"
- Powder coated
- · Capacity: 600 lbs.
- Nose Plate:
   14" W x 9" D



#### KLETON

| Model<br>No. | Description       | Height" | Wt.<br>lbs. | Promo<br>Price |
|--------------|-------------------|---------|-------------|----------------|
| MH300        | Dual Handle       | 46      | 23          | 69.90          |
| MH301        | Continuous Handle | 48      | 26          | 69.90          |
| MH302        | P-Handle          | 51      | 23          | 69.90          |

#### **CONVERTIBLE HAND TRUCKS**

- Converts easily from a 2-wheel hand truck to a 4-wheel platform truck
- Lightweight aluminum construction
- 5" polyurethane casters and 10" wheels
- Shipped assembled
- Handle Type: Dual
- Wheel Size: 10" H x 2" W




#### KLETON

MO794

|           | Hand '<br>Cap. lbs.      |         | Platfori<br>Cap. lbs. |    |   |    | Promo<br>Price |
|-----------|--------------------------|---------|-----------------------|----|---|----|----------------|
| 18" W x 7 | '-1/2" D NOS             | E PLATE |                       |    |   |    |                |
| MO068     | 550                      | 62      | 800                   | 20 | х | 56 | 289.00         |
| 18" W x 1 | 18" W x 10" D NOSE PLATE |         |                       |    |   |    |                |
| ML621     | 600                      | 52      | 1250                  | 12 | х | 43 | 389.00         |

#### UTILITY CARTS



- Flip-up side shelf can hold up to 20 lbs.
  Keep small tools organized and easy to reach with upper shelf slots
  - Includes 2 snap-in hooks
    - No. of Shelves: 2
    - Capacity: 500 lbs.
    - Lip up configuration
      - 5" casters, 2 fixed and 2 swivel

| Model<br>No. | O.A.<br>W" x | Dimens<br>D" |      | Colour | Promo<br>Price |
|--------------|--------------|--------------|------|--------|----------------|
| MO794        | 17-3/4 x     | 46-1/5       | x 36 | Black  | 469.00         |
| MO795        | 17-3/4 x     | 46-1/5       | x 36 | Grey   | 469.00         |
| MO796        | 25-1/5 x     | 51-1/2       | x 36 | Black  | 499.00         |
| MO797        | 25-1/5 x     | 51-1/2       | x 36 | Grev   | 499.00         |

# HYDRAI • Heavy-duty polyureth steering wheels and ro • MJ490

#### **HYDRAULIC PALLET TRUCKS**

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
  - 6-1/4" (158.75 mm) wide forks
  - Lowered pallet truck height: 2-7/8"
    - Raised pallet truck height: 7-3/4"
      - Capacity: 6600 lbs.
      - 2-year limited warranty

#### KLETON

| Model<br>No. | O.A. Fork Dim.<br>L" x W" | Promo<br>Price |
|--------------|---------------------------|----------------|
| MJ490        | 36 x 20-1/2               | 499.00         |
| MJ491        | 42 x 20-1/2               | 499.00         |
| MJ492        | 48 x 20-1/2               | 499.00         |
| MJ493        | 36 x 27                   | 499.00         |
| MJ494        | 42 x 27                   | 499.00         |
| MJ495        | 48 x 27                   | 499.00         |
| ML373*       | 48 x 27                   | 499.00         |

\*All nylon steering wheels and rollers

#### **HYDRAULIC PALLET TRUCKS**

- Heavy-duty all nylon steering wheels and rollers provide superior mobility and performance
- Nylon exit roller facilitates entry and exit of pallets
  - 6-1/4" (158.75 mm) wide forks
  - Lowered pallet truck height: 3"
  - Raised pallet truck height: 7-1/16"
  - Galvanized finish offers corrosion resistance and is ideal for wet and cold conditions
    - Capacity: 5500 lbs.
    - 2-year limited warranty

| Model | O.A. Fork Dim. | Promo  |
|-------|----------------|--------|
| No.   | L" x W"        | Price  |
| MN648 | 42 × 27        | 609.00 |
| MN059 | <b>48 × 27</b> | 609.00 |

MN059

#### **KNOCKED-DOWN PANEL TRUCK**

- Open-Deck
- Move tables, drywall, plywood, tables, artwork with ease
- Move light to heavy duty objects at ease with four 5" non-marking blue elastic swivel casters
- Removable upright panel bars fit any size load
- Overall dim.: 30" L x 27" W x 43" H
- Capacity: 1000 lbs. evenly distributed



| MO522 | 275.00 |
|-------|--------|
| Model | Promo  |
| No.   | Price  |



#### **EXTRUDED RUBBER DOCK FENDERS**


#### **D-4 DOCK FENDERS**

- Guard against damaging impact
- Made of age, weather and abrasion-resistant synthetic rubber
- Easy to install
- Half oval shape
- Easily installed manually or by power tools



#### **MOUNTING BAR**

• In all cases, a drilled metal bar 3/16" x 1-1/2" should be inserted in the bore of the fender to act as a continuous washer



Diagonal





Vertical



Mounting Bar

| Fender Drilled |       | Mounting Bar | Promo | Dimensions         | Anchor            | Approximate |
|----------------|-------|--------------|-------|--------------------|-------------------|-------------|
| Model No.      |       | Model No.    | Price | W" x H" x L"       | Holes             | Weight lbs. |
| KH658          | 18.90 | KH662        | 5.29  | 4-1/2 x 3-3/4 x 12 | 2 required, 6" *  | 4           |
| KH659          | 26.90 | KH663        | 6.59  | 4-1/2 x 3-3/4 x 18 | 2 required, 12" * | 6           |
| KH660          | 38.90 | KH664        | 7.69  | 4-1/2 x 3-3/4 x 24 | 2 required, 18" * | 9           |
| KH661          | 52.90 | KH665        | 10.50 | 4-1/2 x 3-3/4 x 36 | 3 required, 15" * | 11          |

#### \*Between holes

#### INDUSTRIAL STEP STOOLS

- Durable, nestable, corrosion-proof
- Moulded-in handles make them easy to carry
- Capacity: 500 lbs.
- Safety Yellow

MD487



| PLASTICS II  | PLASTICS INC.   |   |  |  |  |  |  |  |
|--------------|-----------------|---|--|--|--|--|--|--|
| Model<br>No. | No. of<br>Steps |   |  |  |  |  |  |  |
| MN531        | 1               | - |  |  |  |  |  |  |

| Model<br>No. | No. of<br>Steps | Dimensions<br>L" x W" x H" | Wt.<br>Ibs. | Promo<br>Price |
|--------------|-----------------|----------------------------|-------------|----------------|
| MN531        | 1               | 28 x 20 x 13               | 10          | 94.90          |
| MN532        | 2               | 36 x 28 x 20               | 20          | 159.00         |
|              |                 |                            |             |                |

#### FIBREGLASS STEPLADDERS (6400 SERIES)

- ANSI Type: 1A, CSA Grade: 1A
- Durable non-conductive "C" channel side rails in high visibility safety yellow
  - · Super tough copolymer utility top for strength and durability
- Slip-resistant serrated aluminum steps
- Inside spreader arms complete with "wraparound" brackets to strengthen spreader-to-rail connection
  - Capacity: 300 lbs.

## **FEATHERLITE**

| Model<br>No. | Nominal<br>Height' | Base<br>Width" | Base<br>Depth" | Standing<br>Height" | Promo<br>Price |
|--------------|--------------------|----------------|----------------|---------------------|----------------|
| MD487        | 3                  | 19             | 23             | 11                  | 139.00         |
| MD490        | 6                  | 23             | 39             | 45                  | 175.00         |
| MD491        | 8                  | 26             | 50             | 67                  | 215.00         |

#### **HEAVY-DUTY WHEEL CHOCKS**

- Durable polyurethane construction
- Ideal for use with ground vehicles and heavy equipment
- Resistant to oils, fuels and solvents
- Easy-grip carrying handle
- Colour: Safety yellow



#### **CHECKERS**

| Model<br>No. | Max. Tire<br>Diameter" | Dimensions<br>W" x L" x H" | Wt.<br>Ibs. | Promo<br>Price |
|--------------|------------------------|----------------------------|-------------|----------------|
| KH977        | 65                     | 15.1 x 15 x 11             | 14.5        | 339.00         |
| KH978        | 105                    | 15.5 x 17.7 x 10           | 19          | 469.00         |
| KH979        | 165                    | 14.5 x 24.6 x 16           | 32          | 629.00         |
| KH980        | 142                    | 14.9 x 21.9 x 10.6         | 23.75       | 549.00         |

#### **JOBSITE CHEST**

- Bolt cutter proof locking system
- · Heavy-duty hinge is staked and welded • Tall bottom bolsters for
  - easily moving with forklift • 48" W x 24" D x 27-1/2" H

  - Capacity: 15.4 Cubic Feet
    - Weight: 133 lbs.



| TEP211 | 529.00 |
|--------|--------|
| Model  | Promo  |
| No.    | Price  |

#### STEEL DRUM GRABBER

- Lift and transport one 45 imp./55 US gal. steel drum without the fork truck driver leaving his seat
- No risk of drum slipping since handler grips under rim of drum or rolling hoops
- Heavy gauge grabber slides onto truck forks and is locked with two turn down screws
- Lifting capacity: 1000 lbs.
- Fork Pocket Inner Dim.: 5-1/2" W x 2" H



| Model | Promo  |
|-------|--------|
| No.   | Price  |
| DC424 | 309.00 |



#### ALL-IN-ONE DRUM TRUCKS

- All-welded design with 1-1/4" round tube
- Drum trucks can be used to transport and dispense drums
- Easy-to-use belt-system and hook keeps drums securely on the truck
- Easy to load and unload on skids
- Handles plastic, steel or fibre drums

Loop handle models provide added leverage while dual handle models provide side body comfort

Four-wheel design for added support and easy manoeuvrability

- Capacity: 1200 lbs.
- Durable Kleton blue enamel finish







Retaining hook

| Model | Handle | Wheel              | Wt.  | Promo  |
|-------|--------|--------------------|------|--------|
| No.   | Type   | Type               | Ibs. | Price  |
| DC266 | Loop   | 10" Mold-on Rubber | 64   | 389.00 |
| DC267 | Loop   | 10" Pneumatic      | 58   | 429.00 |
| DC256 | Dual   | 10" Mold-on Rubber | 62   | 389.00 |
| DC257 | Dual   | 10" Pneumatic      | 56   | 399.00 |

#### THERMOSTAT CONTROL HEATERS

Neon pilot light

Drum not

included

- Reaches and maintains a given temperature
  - HIGH setting uses Max. Watts; MEDIUM, 1/2 Max. Watts; LOW, 1/4 Max. Watts
    - Fits Drum Size:
    - 55 US gal (45.8 imp. Gal.) Drum Diameter: 22.5"
    - Drum Material: Steel
  - Thermostat Range: 60°F 250°F

DA072

Drum not

included

| Model<br>No. | Wattage | Voltage | Plug Type<br>NEMA No. | Promo<br>Price |
|--------------|---------|---------|-----------------------|----------------|
| <b>DA072</b> | 1750    | 120     | 5-15                  | 535.00         |
| <b>DA092</b> | 1920    | 120     | 5-20                  | 519.00         |
| <b>DA094</b> | 3000    | 240     | 6-15                  | 519.00         |

#### STEEL DRUM DOLLIES

- Welded 3/16" thick x 4", frames are built to withstand constant use
- 24" inside diameter handles 45 imp. gal./55 US gal. drums
- Comes with four swivel casters
- Quality powder-coat finish









DC202

| Model<br>No.    | Caster          | Height" | Capacity<br>lbs. | Wt.<br>Ibs. | Promo<br>Price |
|-----------------|-----------------|---------|------------------|-------------|----------------|
| <b>ROUND FR</b> | AME             |         |                  |             |                |
| DC202           | 3" Polyolefin   | 4-1/2   | <i>7</i> 50      | 21          | 74.90          |
| DC199           | 3" Polyurethane | 4-1/2   | 1000             | 24          | 99.90          |
| DC200           | 4" Polyurethane | 5-1/2   | 1500             | 27          | 115.00         |
| X-FRAME         |                 |         |                  |             |                |
| DC206           | 3" Polyolefin   | 4-1/2   | <i>7</i> 50      | 13          | 59.90          |
| DC203           | 3" Polyurethane | 4-1/2   | 1000             | 16          | 74.90          |
| DC204           | 4" Polyurethane | 5-1/2   | 1500             | 19          | 84.90          |

#### DRUM LIFTER - MANUAL TILT

- Ideal for low level pouring and dumping operations
- 800 lbs. full drum capacity, 500 lbs. half drum capacity
- Tilt lock on each side of hanger frame is used to secure drum in a vertical or horizontal position
  - Drum Capacity: 55 US gal. (45 Imperial Gal.)
    - Frame Material: Steel
      - Weight: 46 lbs.



| DA199 | 359.00 |
|-------|--------|
| Model | Promo  |
| No.   | Price  |

#### **DRUM LIFTER**



- Lifts fibre drums
  - 18.5"-23" rim diameter Frame Material: Steel
  - No. of Drums: 1
    - Lifting Capacity: 1000 lbs./454 kg.

Model Promo No. **Price DA876** 289.00

MORSE



#### SELF-CLOSING FAUCET W/SCREEN

- Standard 3/4" tapered pipe thread
- Flame arrestor safety faucet
- Natural die cast finish
- Can be padlocked closed



| 5.90         |
|--------------|
| omo<br>Price |

WARNING! Before ordering any faucet, establishing compatibility with the MSDS of the fluid used in application is a must!

#### **SELF-CLOSING FAUCET**

- For non-flammable liquids only
- No flame arrestor
- Natural die cast finish
- Can be padlocked closed
- 3/4" pipe thread



| PE365 | 1 <i>7</i> .90 |
|-------|----------------|
| No.   | Price          |
| Model | Promo          |
|       |                |

**WARNING!** Before ordering any faucet, establishing compatibility with the MSDS of the fluid used in application is a must!

#### MANUAL DRUM DEHEADER

- Open any size and gauge steel drum quickly and easily, allowing drum recycling without the risk of fire from cutting with a torch
- Comfortable plastic hand grip
- Frame Material: Steel Blade Material: Steel
- Handle Length: 20"





| DC603        | 89.00          |
|--------------|----------------|
| Model<br>No. | Promo<br>Price |
|              |                |

#### **BUNG NUT WRENCHES**

- Offset handle
- Fits almost any metal or plastic, male or female bung nuts or plugs
- 13" overall length





| Model<br>No. | Constructed of                       | Promo<br>Price |
|--------------|--------------------------------------|----------------|
| DA637        | Non-Sparking, Manganese Bronze Alloy | 59.90          |
| DA638        | Annealed Ductile Iron                | 39.90          |

#### **FUSIBLE LINK** SELF-CLOSING DRUM COVER

- Convert open top 55 US gallon/45 imp. gallon steel drums into fire-safe receptacles for combustible trash
- A replaceable fusible link assembly inside the cover melts at 165°F, automatically slamming the cover shut if a fire occurs in the drum
- Steel construction; solvent resistant, red baked-on-enamel finish
- Fits drums from 22-1/2" to 22-3/4" in diameter
- FM approved
- Wt. 15 lbs.



#### **№** Justrite

| DA097        | 219.00         |
|--------------|----------------|
| Model<br>No. | Promo<br>Price |
|              |                |

#### PROTECTIVE 55-GALLON DRUM LIDS

- Tough average 40-mil thick LDPE lids protect steel drum tops from corrosion and contamination
- Fits Drum Size: 55 US gal. (45 imp. Gal.)
- Tight head



| Model<br>No. | Colour | Promo<br>Price |
|--------------|--------|----------------|
| DA118        | Black  | 11.90          |
| DA119        | Clear  | 11.90          |



#### **INDUSTRIAL GARBAGE BAGS**

- Bags are "Best in Class" on attributes such as energy use, amount
  of recycled material, post consumer waste retrieved and re-used
- Quality of these "green bags" is as good as "non-green bags"
- Excellent strength and puncture resistance eliminate the need for double bagging
- UL ECOLOGO® 126 certified bags are less harmful for the environment
- Open Top
- 35" W x 50" LColour: Black





| Model<br>No. | Strength | Qty<br>/Pkg. | Promo<br>Price     |
|--------------|----------|--------------|--------------------|
| JD140        | Regular  | 250          | 39.95/Pkg.         |
| JD141        | Strong   | 200          | 44.95/Pkg.         |
| JD142        | X-Strong | 150          | <b>49.00</b> /Pkg. |

## RECYCLING STATION CONTAINERS



 Contains post consumer recycled resin (PCR) exceeding EPA Guidelines

Material: Plastic

• Colour: Dark Blue





| Model<br>No.           | Capacity US gallons | Dimensions                                       | Promo<br>Price   |
|------------------------|---------------------|--|------------------|
| NH779<br>NH780         | 35<br>50            | 19-1/2" sq x 27-5/8" H<br>19-1/2" sq x 34-1/4" H | 180.00<br>259.00 |
| TOPS<br>NH763<br>NH764 |                     | Bottle/Can<br>Paper                              | 82.00<br>82.00   |


## ATLAS GRAHAM FURGALE

NH780

#### INDUSTRIAL MEDIUM SWEEP BROOMS

Bristle Material: Tampico





| WOOD HANDLE<br>JB720 | 60" L   | 5.95  |
|----------------------|---------|-------|
| JC196                | 36      | 19.85 |
| JC194                | 18      | 9.65  |
| JC195                | 24      | 11.55 |
| Mode                 | Block   | Promo |
| No.                  | Length" | Price |

## WORKSAFE® LIGHT NO. 478 CFR MATTING

- This best-selling, lightweight, high performance drainage mat is now resistant to mineral oil based cutting fluids
  - The new CFR (Cutting Fluid Resistant) formulation is perfect for wet industrial areas
    - Its lightweight design eases the strain of clean-up, yet keeps employees quite comfortable
      - Type: Anti-Fatigue
        - Thickness: 1/2"
          - Colour: Grey

| Model<br>No. | Dimensions<br>W' x L' | Promo<br>Price |
|--------------|-----------------------|----------------|
| NB632        | 3 x 5                 | 139.00         |
| NB630        | 3 x 10                | 314.00         |

NB632 WEARWELL

#### **CUT END WET MOPS**

- High grade rayon yarn is the most absorbent fibre and it releases moisture quickly from the mop
- Fan-foot construction allows for maximum floor coverage avoids tangles and helps maintain the mop's shape for even coverage
- Use with narrow-band or wide band style handles





| AGF | - |
|-----|---|
|-----|---|

| Model                   | Size  | Promo |
|-------------------------|-------|-------|
| No.                     | oz.   | Price |
| JB753                   | 20    | 6.95  |
| JB754                   | 24    | 7.95  |
| FIBREGLASS HANDLE JC509 | 60" L | 18.95 |

#### MULTI-FUNCTIONAL CART

- Ample storage capacity for all cleaning equipment
- 4 shelves and hooks keep appliances organized
- O.A. dim.: 31" L x 20" W x 38" H
- Bag: 14" x 10" x 31"
- · Black, yellow bag
- Cart material: Plastic





| JG813 | 145.00 |
|-------|--------|
| Model | Promo  |
| No.   | Price  |

#### PURELL® HAND SANITIZER

- Kills 99.99% of most common germs that may cause illness
- Works in as little as 15 seconds
- No water or towels needed
- Specifically formulated with moisturizers and vitamin E to leave hands feeling soft and refreshed

Dermatologist tested, fragrance and dye free



JA357

| ruren | S |
|-------|---|
| Model |   |
| No.   |   |

**Description Price** JA357 1000-ml Refill for NXT® JA355 Dispenser 12.55 **SAQ140** 1200-ml Refill for TFX™ SAQ139 Dispenser 23.95

#### SELECT® ROLL HAND TOWELS

- Embossing enhances hand feel and maximizes absorbency; fewer towels are used per hand dry
- Made from 100% recycled fibres, with a minimum of 50% post-consumer material and are certified Green Seal®
- Provide a level of quality that meets everyday needs
- Fits on most universal dispensers
- Ply: 1
- Roll Length: 425'
- Width: 8"
- 12 rolls per case



| Model<br>No. | Colour  | Promo<br>Price     |
|--------------|---------|--------------------|
| JC029        | Natural | <b>34.95</b> /Case |
| JC030        | White   | <b>36.55</b> /Case |

#### **NATURAL CITRUS BASED CLEANER & DEGREASER**

- Accepted for use in Canadian food processing facilities
- Biodegradable, phosphate-free, non-abrasive, non-butyl
- Concentrated, heavy-duty
- 4-L bottle





| 10465 | 23.05 |
|-------|-------|
| No.   | Price |
| Model | Promo |

#### GOJO® NATURAL ORANGE™ **PUMICE HAND CLEANER**

• Orange citrus scent

 Quick-acting lotion formula with scrubbing particles for cleaning a broad range of industrial soils, medium dirt and grease







| Model<br>No. | Description       | Promo<br>Price |
|--------------|-------------------|----------------|
| JA327        | 14-oz. Bottle     | 4.25           |
| JA328        | 1/2 gallon w/Pump | 9.85           |
| NI254        | 1 gallon w/Pump   | 21.00          |



#### TUFF-JOB™ WIPERS

- Ideal replacement for rental shop towels or rags
- Excellent durability, strength, absorbency and solvent resistance
  - 1-ply, sheet size 16-3/4" L x 9-3/4" W
  - 125 sheets per box
    - Colour: Blue

Cascades PRO Tuff-Job

| JC037 | <b>23.95</b> /Box |
|-------|-------------------|
| Model | Promo             |
| No.   | Price             |

#### PORTABLE FAN-FORCED UTILITY HEATER

- 120 V, 10.8/12.5 A, 4435/5120 BTU/h
- Two heat settings (1300 W and 1500 W)
- Adjustable thermostat
- Fan-only setting

Model

**EA598** 

No.

- Tip over safety switch
- Built-in carrying handle with front safety guards
- 10" W x 6" D x 16" H





#### PORTABLE CERAMIC HEATER

- 120 V, 2560/5200 BTU/h
- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- PTC heating element
- Tip over safety switch and thermal safety fuse
- Power Source: Electric
- Min. Amperage: 6.25 A

• 120 V, 2600/5200 BTU/h

Adjustable thermostat

Power Source: Electric

Power Cord Length: 6'

Convenient carry handle

Stable metal base with tilt angle

Tip-over and overheat protection

Max. Amperage: 12.5 A

|              | MATRIX* INDUSTRIAL PRODUCTS |
|--------------|-----------------------------|
| Model<br>No. | Promo<br>Price              |
| A599         | 39.95                       |

PORTABLE CERAMIC HEATER

Two heat settings (1500 W and 750 W)

provide full comfort and efficient operation



#### **HEAVY-DUTY CEILING** MOUNT HEATERS

- Built-in ceiling bracket for easy mounting
- Automatic fan delay
- Rugged heavy-duty industrial heater
- Ideal for use in storage rooms, workshops, garages, warehousing
- Voltage: 240 V





| Model | Motor    | Rating | (BTU/h) | Promo  |
|-------|----------|--------|---------|--------|
| No.   |          | Min.   | Max.    | Price  |
| EA532 | Open     | 8530   | 17060   | 199.00 |
| EA652 | Enclosed | 8530   | 25600   | 295.00 |







#### OIL-FILLED HEATER

- 120 V, 12.5 A, 1500 W, 5120 BTU/h
  - 7-fin, oil-filled heater
  - Three heat settings provide full comfort and efficient operation
    - Adjustable thermostat
  - Built-in over heating protection



| Model | Promo |
|-------|-------|
| No.   | Price |
| EA612 | 63.95 |

#### **CONTRACTOR HEATERS**

- 6' heavy-duty cord
- Built-in handle/cord storage
  - Built-in thermostat
- Permanently lubricated motor
  - · Safety high temperature limit • Steel spiral fin brazed to metal sheath elements for maximum heat transfer
    - 240 V


MATRIX

Plug Type: #6-30P









**EA477** 

#### RUBBER TIE DOWNS

• Material: EPDM gives the ability to resist degradation resulting from weathering agents like UV rays and ozone making it perfect weather resistant rubber

Retains its rebound qualities

Durable zinc plated steel "S" hooks



| Model<br>No. | Size" | Max. Safe<br>Stretch" | Promo<br>Price |
|--------------|-------|-----------------------|----------------|
| PE366        | 5     | 7-1/2                 | 1.10           |
| PE367        | 9     | 13-1/2                | 1.20           |
| PE368        | 15    | 22-1/2                | 1.45           |
| PE369        | 21    | 31-1/2                | 1.80           |
| PE370        | 31    | 46-1/2                | 2.15           |
| PE371        | 41    | 61-1/2                | 2.55           |

#### INDUSTRIAL TARPAULINS

- 14 x 14 high density weave
- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 20"
- 225 micrometers (9 mil) thick
- 9" x 9" triple layers on each corner for added strength
- Green on one side and silver on the other side for heat and ultraviolet light diversion



| Model<br>No. | Dimensions*<br>W' x L' | Promo<br>Price |
|--------------|------------------------|----------------|
| JB567        | 6 x 8                  | 6.86           |
| JB568        | 8 x 10                 | 11.50          |
| JB569        | 10 x 12                | 16.95          |

\* Finished sizes may vary due to hem allowance

#### **POLYETHYLENE TARPAULINS**

- 10 x 10 weave density
- 150 micrometers (6 mil) thick
- Colour: Camouflage
- Heavy Duty



| Model<br>No. | Dimensions*<br>W' x L' | Promo<br>Price |
|--------------|------------------------|----------------|
| JI319        | 6 x 8                  | 6.50           |
| JI320        | 8 x 10                 | 10.70          |
| JI321        | 10 x 20                | 26.50          |
| JI322        | 12 x 16                | 25.50          |

\*Finished sizes may vary due to hem allowance

#### **CABLE TIES**

- Manufactured from Dupont™ Zytel® 101F and Ascend™ Vydyne® 21SPF
- Ideal use in temperatures ranging from -20° C to 80°C

#### aurora tools°

PF387

| Model<br>No. | Length" | Tensile<br>Strength | Dia.<br>Min"-Max" | Bundle<br>Qty/Bag | Promo<br>Price    |
|--------------|---------|---------------------|-------------------|-------------------|-------------------|
| NATURA       | L       |                     |                   |                   |                   |
| PF387        | 6       | 40 lbs.             | 1/16 - 1-1/4      | 1000              | 15.50/Bag         |
| PF391        | 11      | 50 lbs.             | 1/16 - 3          | 1000              | <b>42.95</b> /Bag |
| PF393        | 15-1/2  | 120 lbs.            | 1/16 - 4          | 100               | <b>9.50</b> /Bag  |
| BLACK        |         |                     |                   |                   |                   |
| PF388        | 6       | 40 lbs.             | 1/16 - 1-1/4      | 1000              | 15.95/Bag         |
| PF392        | 11      | 50 lbs.             | 1/16 - 3          | 1000              | <b>43.75</b> /Bag |
| PF394        | 15-1/2  | 120 lbs.            | 1/16 - 4          | 100               | <b>9.70</b> /Bag  |

#### **INSULATED TARPAULIN**

- Lightweight and flexible, moisture resistant insulated tarpaulin
- Manufactured with 3/16" closed cell polyethylene foam insulation
- R-value is maintained in damp cold conditions
- Durable, water resistant polyethylene shell
- Heavy-duty rust resistant grommets every 2'
- 12' W x 20' L
- Thickness: 8 mils
- Colour: Orange



| JD420 | 122.00 |
|-------|--------|
| Model | Promo  |
| No.   | Price  |

#### CLEAR TARPAULINS



- Polyethylene tarpaulin with réinforced nylon gridding
  - Water and mildew resistant coating Heavy-duty rust
  - resistant grommets • 3 x 3 weave density
- 200 micrometers (8 mil) thick

| Model<br>No. | Dimensions*<br>W' x L' | Promo<br>Price |
|--------------|------------------------|----------------|
| JD414        | 8 x 10                 | 12.50          |
| JD415        | 10 x 12                | 18.80          |
| JD417        | 20 x 30                | 92.30          |

\*Finished sizes may vary due to hem allowance

#### **BOOSTER CABLES**

- Cable remains flexible in temperatures as low as -40°C
- Clamp design fits on both top-post and side-post batteries
- Surge suppressor on 2, 4, and 6 gauge cables protect a vehicles computer system from power surges during boosting
- Tangle-free





#### auroratools\*

| Model<br>No. | Wire<br>Gauge | Wire<br>Length' | Amperage | Colour    | Promo<br>Price |
|--------------|---------------|-----------------|----------|-----------|----------------|
| XE494        | 8             | 10              | 150      | Yellow    | 13.99          |
| XE495        | 6             | 16              | 400      | Red/Black | 27.99          |
| XE496        | 4             | 20              | 400      | Red/Black | 37.99          |
| XE497        | 2             | 20              | 400      | Red/Black | 69.99          |

## **SFQ527** ZEN/TH<sup>®</sup>

#### **SCRAPER MATS**

- Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
- · Beveled edging to help prevent tripping
  - Thickness: 1/2"
    - Colour: Black
  - Traffic: Heavy

  - Surface Pattern: Textured

| Model<br>No. | Dimensions<br>W' x L' | Promo<br>Price |
|--------------|-----------------------|----------------|
| SFQ527       | 2 x 2-2/3             | 43.95          |
| SFQ528       | 2-2/3 x 3-1/4         | 62.95          |
| SFQ529       | 2-1/3 x 3-5/6         | 69.00          |
| SFQ530       | 3 x 5                 | 99.00          |
| SFQ531       | 3 x 6                 | 125.00         |



#### **BOOT SCRAPER**

- Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
  - Rubber fingers brush the sides and bottom of boots
  - Portable or can be made fixed (mounting hardware not included)
    - Easy to clean
    - Overall Length: 12"

| 10<br>ce |
|----------|
|          |

#### ALL-WEATHER TPE-RUBBER **EXTENSION CORDS**

- 3-conductor SJEOW, 300 V grounding
- Jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Water resistant and flame retardant
- Lighted connectors allow you to see when the power is in use



| Model<br>No. | Length'  | AWG  | Amps | Watts | Promo<br>Price |  |
|--------------|----------|------|------|-------|----------------|--|
| HEAVY-DU1    | ГҮ       |      |      |       |                |  |
| XC500        | 25       | 14/3 | 15   | 1875  | 19.99          |  |
| XC501        | 50       | 14/3 | 15   | 1875  | 36.99          |  |
| XC502        | 100      | 14/3 | 15   | 1625  | 69.99          |  |
| EXTRA HE     | AVY-DUTY |      |      |       |                |  |
| XC503        | 25       | 12/3 | 15   | 1875  | 27.99          |  |
| XC504        | 50       | 12/3 | 15   | 1875  | 52.99          |  |
| XC505        | 100      | 12/3 | 15   | 1875  | 99.99          |  |

#### **SCRAPER MATS**


- Durable rubber mat resists harsh weather conditions
- Low profile design, 5/16" thick
- Easy to clean
- Available with slots to facilitate drainage
- 3' W x 5' L
- Colour: Black
- Surface Pattern: Slotted



| Promo<br>Price |
|----------------|
| 54.95          |
|                |

#### **SCRATCH-FREE SNOW BRUSHES**

- Lightweight aluminum handle for a more durable and comfortable grip
- Sturdy scraper made of polycarbonate is perfect for getting through thick ice
- Innovative blade design makes cleaning side mirrors and wiper wells easier





Blade Type: EVA Foam



| Model | Head   | Description    | O.A.    | Promo |
|-------|--------|----------------|---------|-------|
| No.   | Width" |                | Length" | Price |
| NJ399 | 4-3/4  | Non Telescopic | 36      | 23.95 |
| NM807 | 13-3/4 | Telescopic     | 52      | 28.95 |